



SAFETY DATA SHEET

Regulation (EC) nr. 1907/2006

18th of March 2017, SP04.00268 Rev. 2

1. NATURE OF THE MATERIALS AND MANUFACTURING COMPANY

IDENTIFICATION OF THE PRODUCT: INDASA AUTOGLOSS COMPOUND PLUS

USE OF THE PRODUCT: Polishes and wax blends.

PRODUCT REGISTRATION NUMBER Not available.

COMPANY IDENTIFICATION :
INDASA – Indústria de Abrasivos, S. A.
ZONA INDUSTRIAL DE AVEIRO, LOTE 46
PO BOX 3005
3801-101 AVEIRO – PORTUGAL
TEL.: + 351 234 303 600
FAX: + 351 234 303 601
E-MAIL: INDASA@INDASA.PT

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture:

- Classification according to Regulation (EC) No 1272/2008:

The product is classified according to the CLP regulation – EUH208

Most important adverse effects: Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

2.2. Label elements:

- **Labelling according to Regulation (EC) No. 1272/2008:** Void
- **Hazard pictograms:** Void
- **Signal word:** Void
- **Hazard statements:** EUH208: Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.
- **Precautionary statements:** P102: Keep out of reach of children.

2.3. Other hazards:

- **Results of PBT and vPvB:** This product is not identified as a PBT/vPvB substance.

3. COMPOSITION/INFORMATION ON THE COMPONENTS

3.1 Chemical characterisation: Mixtures

- **Description:** Mixture of substances listed below with nonhazardous additions.

Chemical name	(%)	N.º Identification		Classification	PBT / WEL
ALUMINIUM OXIDE	30 – 50	CAS:	1344-28-1	-	Substance with a Community workplace exposure limit.
		EINECS:	215-691-6		
		CE:	-		
		REACH:	01-2119529248-35-XXXX		



SAFETY DATA SHEET

Regulation (EC) nr. 1907/2006

18th of March 2017, SP04.00268 Rev. 2

WHITE MINERAL OIL (PETROLEUM)	1 - 10	CAS: EINECS: CE: N.º REACH:	8042-47-5 232-455-8 - 01-2119487078-27-XXXX	Asp. Tox. 1: H304	Substance with a Community workplace exposure limit.
HYDROCARBONS, C16-C20, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS	1 - 10	CAS: EINECS: CE: N.º REACH:	- 919-029-3 - 01-2119457735-29-0003	Asp. Tox. 1: H304; - EUH066	Substance with a Community workplace exposure limit.

- Contains: Aluminium oxide, White mineral oil, Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics

4. FIRST-AID MEASURES

4.1 Description of first aid measures

Inhalation	Consult a doctor.
Skin contact	Wash immediately with plenty of soap and water.
Eye contact	Bathe the eye with running water for 15 minutes.
Ingestion	Wash out mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	No symptoms.
Skin contact	There may be mild irritation at the site of contact.
Eye contact	There may be irritation and redness.
Ingestion	There may be irritation of the throat.
Delayed / immediate effects	No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
5.2 Special hazards arising from the substance or mixture	In combustion emits toxic fumes.



SAFETY DATA SHEET

Regulation (EC) nr. 1907/2006

18th of March 2017, SP04.00268 Rev. 2

5.3 Advice for fire-fighters

Wear self-contained **breathing apparatus**. **Wear protective clothing to prevent contact with skin and eyes.**

6. ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment and emergency procedures** Refer to section 8 of SDS for personal protection details. Turn leaking containers leakside up to prevent the escape of liquid.
- 6.2. Environmental precautions** Do not discharge into drains or rivers. Contain the spillage using bunding.
- 6.3. Methods and material for containment and cleaning up** Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.
- 6.4. Reference to other sections** Refer to section 8 of SDS.

7. HANDLING AND STORAGE

- 7.1. Precautions for safe handling** Ensure there is sufficient ventilation of the area.
- 7.2. Conditions for safe storage, including any incompatibilities** Store in a cool, well ventilated area. Keep container tightly closed.
- 7.3 Specific end use(s)** No data available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Workplace exposure limits: Respirable dust

Hazardous ingredients:

ALUMINIUM OXIDE

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	-	5 mg/m ³	-

WHITE MINERAL OIL (PETROLEUM)

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	5 mg/m ³	-	-	-

HYDROCARBONS, C16-C20, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	5 mg/m ³	-	-	-



SAFETY DATA SHEET

Regulation (EC) nr. 1907/2006

18th of March 2017, SP04.00268 Rev. 2

DNEL / PNEC: No data available.

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: No special requirement.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: White

Odour: Pleasant

Evaporation rate: Negligible

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Also soluble in: No data available

Viscosity: Viscous

Kinematic viscosity: 35000

Viscosity test method: Brookfield @ 20degC

Boiling point/range °C: No data available.

Flammability limits %: lower: No data available.

Flash point°C: >93

Autoflammability °C: No data available.

Relative density: 1,35

VOC g/l: 108,6

Melting point/range °C: No data available.

upper: No data available.

Part. coeff. n-octanol/water: No data available.

Vapour pressure: No data available.

pH: 8 – 9

9.2. Other information Not applicable.



SAFETY DATA SHEET

Regulation (EC) nr. 1907/2006

18th of March 2017, SP04.00268 Rev. 2

10. STABILITY AND REACTIVITY

10.1 Reactivity:	Stable under recommended transport or storage conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.
10.4 Conditions to avoid:	Heat.
10.5 Incompatible materials:	Strong oxidising agents. Strong acids.
10.6 Hazardous decomposition products:	In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Hazardous ingredients:

- ALUMINIUM OXIDE

DUST/MIST	RAT	LC50	7.6	mg/l
ORAL	RAT	LD50	> 2000	mg/kg

- HYDROCARBONS, C16-C20, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

DERMAL	RBT	LD50	> 3160	mg/kg
ORAL	RAT	LD50	> 5000	mg/kg
VAPOURS	RAT	4H LC50	> 5266	mg/l

Toxicity values: No data available.

Symptoms / routes of exposure:

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Delayed / immediate effects: No data available.

Other information: Not applicable.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Hazardous ingredients:

ALUMINIUM OXIDE

Daphnia magna	48H EC50	> 100	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	> 100	mg/l
Salmo trutta	96H LC50	> 100	mg/l



SAFETY DATA SHEET

Regulation (EC) nr. 1907/2006

18th of March 2017, SP04.00268 Rev. 2

HYDROCARBONS, C16-C20, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

FISH	96H LC50	1028	mg/l
Invertebrate	48H EC50	> 3000	mg/l
MARINE ALGAE (Skeletonema costatum)	72H ErC50	3198	mg/l

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB

This product is not identified as a PBT/vPvB substance.

12.6 Other adverse effects

Negligible ecotoxicity.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialized disposal company.

Recovery operations: Not applicable.

Waste code number: 08 12 04

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

Transport class: This product does not require a classification for transport.

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical safety assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. OTHER INFORMATION

· Relevant phrases:

EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H304: May be fatal if swallowed and enters airways.

· Other informations:

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.



SAFETY DATA SHEET

Regulation (EC) nr. 1907/2006

18th of March 2017, SP04.00268 Rev. 2

The purpose of this safety sheet is to describe the products in terms of health and safety and not as a product specification, guaranteeing their properties.

The information on this Data Sheet is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. Any use of the product which is not in conformance with this Data Sheet or which involves using the product in combination with other products or any other process is the responsibility of the user.

The information does not form part of any contractual agreement. It remains the user's responsibility to adhere existing laws and regulations.

Issued by: Maria Manuel Santos/ INDASA Pt
Contact: indasa@indasa.pt